

# DEBIX TD101A



## DEBIX TD101A TFT LCD Monitor

### Overview:


DEBIX TD101A LCD monitor comes with a 1280 x 800 display which has the size of 10.1". With LVDS display interface and USB touch interface, it is composed of a TFT-LCD panel, driver ICs and a backlight unit. The driver element is a-Si TFT active matrix.

### Main Features:

- 10.1" 1280\*800 display size
- IPS with Normally Black display mode
- LVDS Interface
- RGB-stripe colour arrangement

### Compatibility:

- Compatible with all DEBIX series



### Certificates:



## Specification:

DEBIX TD101A	
LCD Size	10.1 inch (Diagonal)
Driver Element	a-Si TFT action matrix
Resolution	1280 x 800
Display Mode	IPS with Normally Black
Active Area	216.96mm x 135.60mm
Outline Dimension	228.91mm x 148.57mm x 2.65mm
Colour Arrangement	RGB-stripe
LVDS Interface	1 x LVDS with 20Pin header connector
Touch Interface	1 x USB with 4Pin header connector
Luminance	320 cd/m2 (Typ.)
Operating Temp.	-20°C to 70°C
Storage Temp.	-25°C to 75°C
Input Voltage	DC 5V
Net Weight	322g (±0.5g)
Gross Weight	514g (±0.5g)

---

## Contact Us:

Headquarters: DEBIX Technology Inc., 8345 Gold River Ct., Las Vegas, NV 89113, USA

Factory: 5-6/F., East Zone, Shunheda A2 Building, Liuxiandong Industrial Park, Xili, Nanshan Dist., Shenzhen, China

Email: [info@debix.io](mailto:info@debix.io)

Website: [www.debix.io](http://www.debix.io)

Community: <https://discord.com/invite/adaHHaDkH2>

